Vieunite.
PRO



27” (Full HD)

Textura Digital Canvas

VT27WGV1-BLK / VT27WGV1-WAL / VT27WGV1-WHT / VT27WGV1-PIN

CURATED ART LIBRARY • TEXTURE ACCURACY • LANDSCAPE AND PORTRAIT DISPLAY

3 YEAR ON-SITE WARRANTY



Setting the Scene

The Vieunite Pro platform offers a sophisticated solution for businesses looking to transform their physical spaces through the power of digital art; using your own uploaded content or that of our Art Library. This content is not just decorative; it is designed to enhance the customer experience, reduce perceived wait times, and create a dynamic atmosphere that evolves with your business needs.



Curated Collections & Art Library

Unlock a world of inspiration with Textura's vast, expertly curated art library, featuring works from emerging talent and world-renowned galleries. Rotate collections, create personalised playlists, or bring classic and contemporary masterpieces into any space for a constantly fresh, gallery-quality experience.



Vieunite Pro CMS

Take full control of your Textura with our advanced content management system. Easily schedule, update, and organise content across multiple canvases through a secure, intuitive platform.

Vieunite. PRO

27” Textura Digital Canvas Ports





Vieunite.
PRO

		VT27WGV1-BLK / VT27WGV1-WAL / VT27WGV1-WHT / VT27WGV1-PIN
Display	Resolution (px)	1920 x 1080 (Full HD)
	Display/Active Area (mm)	597.86 x 336.31 597.89x336.31
	Aspect Ratio	16:9
	Brightness	50-350cd/m^2
	Colour	16.7 Million (8bit + 2bit FRC); 72% NTSC
	Haze Level	25%
	Viewing Angle (°)	89/89/89/89
	Contrast Ratio	1,000: 1
	Orientation Support	Landscape and Portrait
	Operating Hours	24/7 Commercial Use
System & Performance	CPU	RK3568 64bit Cortex-A55 Quad @2GHz
	GPU	Quad Mali-G52 2EE
	Graphics API Support	OpenGL ES 1.1/2.0/3.2, OpenCL 2.0 and Vulkan 1.1
	OS Operating System	Android 14
	RAM	4GB
	Storage	32GB
	Media Format	Supports FHD 60FPS H.264/H.265 video encoding
	LAN	10/100/1000M RJ45
	Wi-Fi	Dual-band 2.4GHz / 5GHz (802.11a/b/g/n/ac)
	Bluetooth	5.0
Audio	Speakers	2 x 1.5W 8Ω
Power Management	DC Power Input Voltage	240V
	Power Consumption	28W
	DC Power Input Current	2A
Dimensions & Weight	Screen Dimensions (mm)	711.1 x 449.7 x 33.95
	Package Dimensions (mm)	810 x 545 x 144
	VESA Mounting (mm)	100 x 100
	Net Weight (Including Frame)	5.4 kg
	Gross Weight (Including Frame)	8.2 kg
Environmental Conditions	Operating Temperature (°C)	0 to 40°C
	Storage Temperature (°C)	-10°C to 55°C
	Operating Relative-Humidity (%)	10% to 80%
	Storage Relative-Humidity	10% to 80%
Accessories	Included Accessories	Real Wood Frame, Mounting Plate, Installation Guide Template, Installation Guide, AC Plug, Small Spirit Level
	Optional Accessories	Walnut Frame, Black Frame, Pine Frame or White Frame
Warranty	Warranty Period	3 Years (UK Mainland On-Site)
	Technical Support	Lifetime